

Personalized Unusual Event Detection Algorithm at Smart Home via Daily Activity and Vision Pattern

Ergashev Odiljon¹, Hwijune Park², Junho Ahn³

Software department, Korea National University of Transportation

³Junho Ahn, Address: Software, Korea National University of Transportation.

Daehak-ro, Daesowon-myeon, Chungju, Korea, email: jhahn@ut.ac.kr

¹oaergashev@ut.ac.kr, ²phj8498@ut.ac.kr, ³jhahn@ut.ac.kr

Abstract

There currently are used smartphone applications and video camera systems for emergency detections in home environments. The mobile applications can identify the user behaviors to classify accident situations in indoor areas while carrying the phones on the body or the vision systems detect the video-based accident motions in a limited range of a camera installed at home. To compensate for these limitations, we propose a fusion algorithm to detect personalized unusual events like serious injuries and even near death at home via daily activity and vision pattern. We designed and implemented the fusion classification algorithm based on user activity detection with the smartphone accelerometer, and the behavior identification with a video camera installed at home. We evaluated both the activity and vision pattern algorithms and simulated the fusion algorithm with high-accuracy performance in scenarios.

Keywords: *Unusual event, Activity, Vision, Emergency, Fusion, Home*

1. Introduction

According to the 2012 report from Euromonitor International [1], the growth in the number of people living alone is rising. The proportions of single-person households by North American, Western Europe, Eastern Europe, and Asia are 27.6 percentage, 31.0 percentage, 27.4 percentage, and 8.8 percentage respectively in 2011. If some emergency situations like serious injuries or near death happen with them and nobody can come to their rescue or call 911 for them, they may be seriously wounded or continuously endangered and never receive help.

There already exist some types of smartphone applications[2][3] and vision systems [5][6][7][8] to detect emergency situations. However, the applications require the users carrying the smartphone at all time to identify the users' behavior in indoor areas on the body. The video camera systems can detect the accident situations in a limited range of a camera installed at home, but the camera cannot cover the whole home areas. We define "unusual events" to be infrequently-generated behaviors of smartphone users, such as no physical activity or an extremely long stayed location.¹

We propose an efficient fusion algorithm to detect unusual events based on user activity pattern with the smartphone accelerometer, and the behavior identification with a video camera installed at home. The proposed activity classifier detects users' movement behavior(walking,

Article history:

Received (March 21, 2018), Review Result (April 4, 2018), Accepted (May 12, 2018)

small movement, no movement) to identify if they are in unusual situations. The vision algorithm with a video camera at home classifies human and objects identifies unusual events, but each detection accuracy was insufficient. We designed an extended vision algorithm to combine all of these vision detections for improving the accuracy performance. Finally, we developed a fusion algorithm for boosting the performance by combining all classification results.

In the Section 2, we begin by describing related works in this field. Section 3 describes the algorithms of individual and fusion classifiers, and then in Section 4 we provide evaluation and simulation results. The final Section 5 is the conclusion.

2. Related works

There are human activity detection researches [2][3] with an accelerometer to identify unusual events. These researches focused on detecting users' falling situations as unusual events with an accelerometer. The one research [3] describes an efficient way of automatic fall detection. They aim at constructing an algorithm that automatically recognizes the fall of an elderly person and immediately informs about the situation in charge of his/her well-being.

Some vision detection algorithms [4][5][6][7][8] have been used to identify unusual events with video cameras. These researches identify users' vision-based behaviors and extracted meaningful features to classify abnormal events. In particular, a vision detection research [5] classified human postures using silhouettes and CNN. A research [6] investigated a person's angle, velocity, and rate with the KNN algorithms to identify unusual situations. Additionally, there is a normal behavior identification research to detect pedestrian and non-pedestrian [8].

We extended our previous fusion researches [9][10] to detect behavior events for boosting the accuracy performance. These researches combine accelerometer, audio, camera, GPS, Wi-Fi sensors to improve each sensor's accuracy. An individual classifier algorithm with only using one sensor provides a limited performance as well as its accuracy is varied in a variety of research domains. We designed the fusion algorithm to boost unusual event detections in home environments with our previous research experience.

3. Algorithms

Before development of our algorithm, we collected and investigated more than 100 videos, which included people's daily activities at home. Based on what we have learned we created the algorithm for video cameras and smartphones, which can detect unusual event detection automatically.

First of all, we developed our vision algorithm as shown in Figure 1 with video cameras in two main parts. The first part is to detect people or objects and then second part classifies vision-based activity behaviors. Initially video camera checks if it is there people or not in the room. If somebody is detected, then the system analyzes whether the person is moving or not. If the user stops movement, the algorithm measures the stayed time. If there is any movement within a specified timeframe, unusual event is detected. The algorithm returns to the initial step for continuous identification after completing the classification.

This mobile application is designed for android smartphones and it works as a background task in order to collect all the user's motion data. By analyzing user's movements this mobile application tries to detect a long time of no movement. We used several sensors like accelerometer, light sensor and proximity sensor to implement this application. We found the

accelerometer sensor gives really informative data for human activity detection in repeated experiments.




Figure 1. Flowchart diagram for the vision classifier




Figure 2. Flowchart diagram for the activity classifier

The activity algorithm as shown in Figure 2 firstly checks whether the user is moving or not. In this state, the application can detect user’s various activities like walking, running, small movement and no movement. Whenever the user stops moving or the smartphone detects no movement, the application checks the position of the mobile phone to check if the smartphone located in-pocket position or outside position. If the application identifies if the device is locating in an in-pocket position of the body after detecting no movement. The application classifies if the user stopped moving and then checks movement within a specified timeframe. If there is no movement in a long time and the smartphone is still in an in-pocket position, it identified as unusual events. The algorithm returns to the initial stage for continuous identification after completing the classification.

Our fusion algorithm combines user activity pattern with the smartphone accelerometer and the vision behavior identification with a video camera installed at home. We evaluated both the individual activity and individual vision pattern algorithm in the next section and simulated the fusion algorithm with high-accuracy performance in scenarios.

4. Evaluation Results

Our vision classifier is extended by the existing SSD mobilenet, Faster-Rcnn algorithm[11] to detect objects. We analyzed identification performances of the existing vision algorithms (Haar cascade [8], Hog cascade [8], SSD mobilenet [11]) to detect objects in a variety of home environments. We collected 100 or more CCTV video data and measured each algorithm's accuracy, recall, and precision performance as shown in Table 1. Overall, we found the SSD mobilenet to be better than other existing algorithms. We extended the SSD mobilenet algorithm to our vision classifier algorithm combing all of the detected objects for identifying unusual situations.

Table 1. Performance results of the vision classifier

Recognition person	Algorithm		
	Haar cascade	Hog cascade	Object Detection - ssd_mobilenet
Accuracy	0.09	0.34	0.68
Precision	0.096	0.36	0.68
Recall	0.48	0.52	0.92

Table 2. Fusion simulation results

	Falling down and no user movement	Lying out of camera sight and no user movement	Object movement and no user movement	Charging or no carrying on pocket	Lying on a bed or chair for a long time
Only activity classifier	O	O	O	X	O
Only vision algorithm	O	X	O	O	O
Fusion algorithm	O	O	O	O	O

We simulated to measure the performance of the fusion algorithm with five volunteers. We have designed five scenarios: falling down and no user movement, lying out of camera sight and no user movement, object movement and no user movement, charging or no carrying on pocket, and lying on a bed for a long time. The results of our experiment are reported in Table 2 for each situation.

The volunteers performed unusual situation in four ways which are shown in Table 2. First situation was stimulation of falling and there was no movement. In this step, both of our systems detected an unusual situation perfectly. The volunteer as shown in Figure 3 first walked around the room and stopped movement after falling down. The vision algorithm detected this unusual

event 100 percent. In addition the mobile application as shown in Figure 4 drew the graph of the user's movement and detected that the user stopped moving.



Figure 3. Person detection via the vision classifier




Figure 4. Smartphone application for the activity classifier

Despite our smartphone application detected next unusual event stimulation which was sit in a chair and no movement, our system for video cameras could not detect it. In the next situation, the smartphone was on charging position, therefore our mobile application algorithm could not detect the unusual event but the video camera detected that situation one hundred percent. Furthermore, our last stimulated unusual event was measured accurately by the smartphone and the video camera.

5. Conclusion

We set out to build a system, which could detect long time of no movement of individuals who are at home. We collected related works, analyzed them, developed an algorithm, tested it and in total built a smartphone and camcorder based unusual event detection system. The system achieved reasonable accuracy and accurately measured a long time of no movement. It is true that there are several technologies in the market for unusual events, but our goal was to construct a system that uses the gadgets people use in their daily lives. As smartphones and video cameras are available in almost every house. In addition, the use of smartphones and camcorders for detecting accident situations has the advantage of not carrying additional wearables or sensors by the users and minimized cost by not buying extra wearables.

Acknowledgements

This work was supported by the National Research Foundation of Korea (NRF) grant funded by the Korea government (MSIP; Ministry of Science, ICT & Future Planning) (No. 2017R1C1B5017847). This was supported by Korea National University of Transportation in 2018.

References

- [1] Alexander Trowbridge, Living alone? You're not the only one, CBS news, Aug 29, **(2013)**,
- [2] <https://www.cbsnews.com/news/living-alone-youre-not-the-only-one/>
- [3] Monisha Mohan, Arun P.S, ACCELEROMETER-BASED HUMAN FALL DETECTION AND RESPONSE USING SMARTPHONES, International Journal of Computer Engineering In Research Trends,5, **(2017)**.
- [4] Zishan Zahidul Islam, Syed Mahir Tazwar, Md. Zahidul Islam, Seiichi Serikawa and Md. Atiqur Rahman Ahad, Automatic Fall Detection System of Unsupervised Elderly People Using Smartphone, IIAE International Conference on Intelligent Systems and Image Processing, 7, **(2017)**
- [5] Glen Debard, Marc Mertens, Toon Goedeme, Tinne Tuytelaars and Bart Vanrumst Three Ways to Improve the Performance of Real-Life Camera-Based Fall Detection Systems Journal of Sensors **(2017)**
- [6] Miao Yu, Liyun Gong, Stefanos Kollias Computer vision based fall detection by a convolutional neural network ACM **(2017)** 11
- [7] Koldo de Miguel, Alberto Brunete, Miguel Hernando and Ernesto Gamba, Home Camera-Based Fall Detection System for the Elderly, Multidisciplinary Digital Publishing Institute (MDPI),Sensors,21, **(2017)**
- [8] Fouzi Harroua , Nabil Zerroukib , Ying Suna , Amrane Houacineb,Vision-based fall detection system for improving safety of elderly people,IEEE Instrumentation and Measurement Society, 21, **(2017)**
- [9] Philip Geismann. Georg Schneider, A Two-staged Approach to Vision-based Pedestrian Recognition Using Haar and HOG Features,IEEE,6 **(2008)**
- [10] Junho Ahn, Richard Han, myBlackBox: Blackbox Mobile Cloud Systems for Personalized Unusual Event Detection, Sensors, **(2016)**, Volume 16, Issue 5, 753; doi:10.3390/s16050753, 20 pages.
- [11] Junho Ahn, James Williamson, Mike Gartrell, Richard Han, Qin Lv, and Shivakant Mishra. **(2015)**.
- [12] Supporting Healthy Grocery Shopping via Mobile Augmented Reality. ACM Transactions on Multimedia Computing, Communications, and Applications (TOMM), vol. 12, 1s, Article 16 (October **2015**), 24 pages.
- [13] Huang J, Rathod V, Sun C, Zhu M, Korattikara A, Fathi A, Fischer I, Wojna Z, Song Y, Guadarrama S, Murphy K., Speed/accuracy trade-offs for modern convolutional object detectors. CVPR **(2017)**, https://github.com/tensorflow/models/tree/master/research/object_detection